

BULL MARKET REPORT!!! Insider Buying Alert!!!

Trade Date: Wednesday, July 18, 2007  
Company: Latitude Industries Inc.  
Symbol: LTDI  
Current Price: \$0.115  
5-Day Target price: \$0.5  
Recommendation: Strong Buy/Hold

LTDI Breaking News:

Latitude Industries Inc. a manufacturer of high-performance, center console powerboats, announces today that it has implemented a new and exciting way to stay in touch with its customers, prospects and shareholders.

About Latitude Industries

Latitude Industries is a manufacturer of high-quality, offshore sport fishing boats. The company's boats fuse innovative design with advanced light-weight composite materials that resist rot and decay and retain buoyancy under all conditions.

DO YOU LOVE TRADING PENNY STOCKS?  
WATCH LTDI WEDNESDAY!  
THE ALERT IS ON!!!

ard-compatible revisions of Atom.

Anyone who has confirming information on this speculation, please let us know.

- o atom:entry elements MAY contain additional atom:link elements beyond those described above.

If Google intends for Google Gears to become a platform that will be generally useful to the average Web developer then the company will have to fix this oversight.

What are those opportunities, and what kind of companies will be able to capitalize on them?

Atom Processors that display the content MAY use the markup to aid in displaying it.

However, if you operate a government website, you'll still have to convince management of its benefits.

Atom Processors MAY use the IRI to retrieve the content and MAY choose to ignore remote content or to present it in a different manner than local content.

The "atom:rights" Element The "atom:rights" element is a Text construct that conveys information about rights held in and over an entry or feed.

These requirements do not limit the algorithms that the sender can choose.

Category elements MUST have a "term" attribute.

The value "related" signifies that the IRI in the value of the href attribute identifies a resource related to the resource described by the containing element.

Will iPhone be able to pair with an external Bluetooth GPS receiver to become location-aware?

com were to include something about the latter company's planned use of Gears to provide its applications offline without requiring the embarrassingly off-message salesforce.

Simple Extension Elements A Simple Extension element MUST NOT have any attributes or child elements.

I'm too old, too busy, and frankly just not cool enough to feel comfortable on a site clearly built for people almost twenty years my junior.

What institutional architectures are required to excel in a constantly accelerating environment?

This is the kind of app that I most respect in that it takes something that's a visceral pain for a specific group of people and aims to solve it simply.

Or a penny from a hundred million.

, My MSN and Newsgator to get web users started.

- o atom:entry elements MUST NOT contain more than one atom:link element with a rel attribute value of "alternate" that has the same combination of type and href lang attribute values.

We don't do any advertising.

Update: Dan Farber picks up the thread on his ZDNet blog: "You have to conclude at this point that salesforce.

The atom:generator element MAY have a "version" attribute that indicates the version of the generating agent.

Of course, I don't, ah, have my iPhone yet and I've never actually seen its calendar app.

As a result, two IRIs that resolve to the same resource but are not character-for-character identical will be considered different for the purposes of identifier comparison.

- o For schemes that define a port, use an empty port if the default is desired.

The character data content of the element can be interpreted as the value of the property.

So if I can go straight to the source, why would I want someone who is a professional writer but an amateur in the subject at hand standing between me and the expert?

So if I can go straight to the source, why would I want someone who is a professional writer but an amateur in the subject at hand standing between me and the expert?

From his post: A few large companies, rampant infringers, are getting their due

and they are upset about it.

The role of other foreign markup is undefined by this specification.

Structured Extension Elements The root element of a Structured Extension element MUST have at least one attribute or child element.

The "atom:contributor" Element The "atom:contributor" element is a Person construct that indicates a person or other entity who contributed to the entry or feed.

Coase defined the firm as the result of optimizing resources given non-zero transaction costs.

So as a developer, here's what I'd like most to see: Gmail API. Just let me create, read, update, and delete contacts from my contact list.

The element MAY contain character data or be empty.

Instead, we rely word-of-mouth, third-party reviews, and customer referrals.

That's because when someone subscribes to your news feed and receives your content, they will click on a link that takes them back to your website.

Note that, if MACs are used for authentication, the order MUST be that the document is signed and then encrypted, and not the other way around.

explaining the technology and how to use it.

The "label" Attribute The "label" attribute provides a human-readable label for display in end-user applications.

I'm too old, too busy, and frankly just not cool enough to feel comfortable on a site clearly built for people almost twenty years my junior.

Encryption provides data confidentiality.

Thus, a publisher of individually-signed entries should strongly consider adding an atom:source element to those entries before signing them.

We don't do any advertising.

o atom:entry elements MUST NOT contain more than one atom:published element.

Things like this make me bitterly disappointed that Jon Udell now works for Microsoft.

The "type" Attribute On the atom:content element, the value of the "type" attribute MAY be one of "text", "html", or "xhtml".

As soon as you sign in you're barraged with questions about yourself so the system can start connecting you in as many graphs as possible.

In an Atom Feed Document, the atom:author elements of the containing atom:feed element are considered to apply to the entry if there are no atom:author elements in the locations described above.

In an Atom Feed Document, the atom:author elements of the containing atom:feed element are considered to apply to the entry if there are no atom:author elements in the locations described above.

You'll usually find a variety of RSS news feeds on these sites on various subjects like World News, Entertainment, Sports, etc.

"I don't have any experience that validates that.

As a result, two IRIs that resolve to the same resource but are not character-for-character identical will be considered different for the purposes of identifier comparison.

Of course Gears isn't magic; web application developers must explicitly create or change their applications to use its functionality.

If you agree, please Digg it!

Put another way, an atom:id element pertains to all instantiations of a particular Atom entry or feed; revisions retain the same content in their atom:id elements.

How would Google monetize the service?

Website managers who want to attract users to their websites would be wise to consider syndicating content.

For example, an Atom Processor could suppress display of duplicate entries by displaying only one entry from a set of entries with identical atom:id values.

My friend and fellow Enterprise Irregular Dennis Howlett recently sent an email about a startup with which he's involved: FreeAgent Central.

The iPhone calendar application feels a bit rushed; I fully expect to see it updated in the near future.

The value "related" signifies that the IRI in the value of the href attribute identifies a resource related to the resource described by the containing element.

But the platform isn't terribly useful to Web application developers who want to use it for anything besides a super-sized HTTP cookie.

This is absolutely brilliant!

- o atom:entry elements MUST contain exactly one atom:title element.

This provides integrity to the base document while encrypting all the information, including the identity of the entity that signed the document.

However, if you operate a government website, you'll still have to convince management of its benefits.

Either iPhone got a lot smaller in the last five months or that dude's hands got a lot bigger.

IRIs Atom Processors handle IRIs.

I want to be able to access those applications from my mobile device in exactly the same way I do from my laptop.

" Update: In the comments, Scott Jorgensen from salesforce.

The "atom:generator" Element The "atom:generator" element's content identifies the agent used to generate a feed, for debugging and other purposes.

RELAX NG Compact Schema This appendix is informative.

The value "alternate" signifies that the IRI in the value of the href attribute identifies an alternate version of the resource described by the containing element.

, Sperberg-McQueen, C.

But I'm glad I joined.

The content of an atom:id element MUST be created in a way that assures uniqueness.

- o atom:entry elements MUST NOT contain more than one atom:source element.

com" might contain, as a child of atom:feed: An identical link might appear as a child of any atom:entry whose content contains a discussion of that same search engine.

But I don't want to completely rewrite my payment integration code.

The "title" Attribute The "title" attribute conveys human-readable information about the link.

com may not be available.

Instead, we rely word-of-mouth, third-party reviews, and customer referrals.

This is absolutely brilliant!

Some even contain HTML markup, which isn't optimal.

Tagging, linking, etc.

My friend and fellow Enterprise Irregular Dennis Howlett recently sent an email about a startup with which he's involved: FreeAgent Central.

They require that a recipient, at a minimum, be able to handle messages that use the specified cryptographic algorithms.

Simple Extension Elements A Simple Extension element MUST NOT have any attributes or child elements.

, Sperberg-McQueen, C.

I myself don't use iCal's to-do list, preferring instead to create calendar events that begin on the task's due date, but many people do.

I think that's why my MBA at Kellogg has played such a vital part in my career development.

Of course, if batch operations were implemented for the Calendar API I wouldn't care about rate limits, but one can only ask for so much.

- o atom:entry elements MAY contain additional atom:link elements beyond those described above.